FSA-Crochet Hearts-5x7-Clip-NLS






Instructions for the FSA-Crochet-Hearts-5x7 Embroidery Designs

Required Materials for ATWNLS1406-5x7


- From Fabric:
- O Two cuts (front & back of design) cut at 5.25 x 5.5 inches
- From Heat-N-Bond Lite:
- Two cuts at 5.28-5 x 5.5 inches
- From Batting:
- o 1 cut at 5.25 x 5.5 inches
- Water-soluble stabilizer-enough for 1 5 x 7 hooping
- Sharp embroidery scissors
- Threads of choice

The Color Sequence Chart below will be referenced through these instructions.



For these designs, only two thread colors are shown in the Color Sequence Chart, which makes color selection digitizer's choice. Please see the first page of these instructions for the variety of these designs created.


1.	Cut materials for project. See sizes required in the Required Materials section above.	nd.
2.	Fuse the Heat-N-Bond pieces to the wrong sides of the two fabric pieces.	



3.	Hoop water-soluble stabilizer in a 5 x 7 inch hoop	
4.	Load design into machine and sew #1 in the Color Sequence Chart. These stitches will create the placement stitches for the design.	
5.	Place the batting piece on top of the placement stitches and place the fabric for the front of the design over the batting.	
6.	Sew #2 in the Color Sequence Chart. These stitches will attach the batting and fabric piece to the stabilizer.	
7.	Sew #3 in the Color Sequence Chart. These stitches will create the design on front of the project.	


8.	Remove hoop from machine, turn hoop up-side-down, and place the second piece of fabric over the back of the design. Secure with tape.	
9.	Return hoop to machine and sew #4 in the Color Sequence Chart. These stitches will attach the back fabric to the project.	
10.	Remove hoop from machine and carefully cut away the excess fabric from the back of the hoop.	
11.	Turn hoop over to the front and cut away the "fabric" (not batting) from the project.	
12.	Cut away the batting from around the projectbe careful not to cut the stabilizer.	


13.	Return hoop to machine and sew #5 in the Color Sequence Chart. These stitches will create the satin border around the heart.	
14.	Sew #6 in the Color Sequence Chart. These stitches will create a stitch on top of the satin border.	
15.	Remove hoop from machine and project from hoop. Cut away excess stabilizer from around the heartit is best to leave ¼ inch or so to void cutting the stitches.	
16.	Remove the remaining ¼ inch of stabilizer from around the heart.	



Each of the ten designs will be sewn the same way and require the same materials. Notice that some of the designs have a #6 in the Color Sequence Chart and others do not. The #6 just adds stitching on top of the satin border. Refer back to the above instructions when sewing the other designs.

The Color Sequence Charts for the other nine designs are shown below.





Printed by Generations(TM), Copyright 2002-2007, All Rights Reserved.