

DOUDOU DOG

This fact in a frame 10x10cm You will have 3 steps in 10x10cm

1-Ears 2-

Head

3-The arms

4-The muzzle

Hardware:

I did with Minky

2 Pieces of 24cm x 24cm for the cover

2 Pieces of 11cm x 11cm high for the head

2 Pieces of 11cm X 11cm high for the ears 2

Pieces of 8cm x 5cm high for the muzzle

1 Piece of 5cm x 7cm high for the white

part of the head

1 Piece of 11cm x 5 cm high for the white part of the lower face

2 Piece of 11cm x 11cm for the arms

1 Piece of 11cm x 4cm high for the beige part of the legs

Hypoalergenic stuffing, snap button, water-soluble support, sewing needle and sewing thread

FIRST STEP:

I start by making the ears and I always work out of frame, you can take the temporary glue to help you 1 - put your support in your frame 10x10cm. Follow the steps on the step sheet that is with your file in . PDF

THE EARS

- Stop 1: the first seam must be made on the support to tell you where to put your fabric, be careful to hide this seam with your fabric.
- Stop 2: The second seam is done on your fabric, this seam fixes your fabric on the support, you can put temporary glue before doing this step. Before moving on to the next step, put your 2nd piece of fabric, place against place on your fabric that is in your frame
- Stop 3: Sewing to bind your 2 pieces of fabric together,

It remains only to get out of the frame, remove the excess tissue and return to the place, set aside until at the time of making the head.







THE MUZZLE

- Stop 1: the first seam must be made on the support to tell you where to put your fabric, be careful to hide this seam with your fabric.
- Stop 2: The second seam is done on your fabric, this seam fixes your fabric on the support, you can put temporary glue before doing this step.
 - Put on your water-soluble support before making the embroidery stitches
- Stop 3 to 5: Embroidery stitches, take your ^{2nd} piece of fabric, place against place on your main fabric
- Stop 6 : Sewing to bind your 2 pieces of fabric together,

Attention here there is no opening to turn the muzzle, you will see the method a little later


It remains only to get out of the frame, remove the excess tissue Set aside time to make your head



THE HEAD:

- STOP 1: contour of the head, this seam is done on your support to tell you where to put your fabric. Once this seam is finished, put your fabric to cover the entire seam
- Stop 2: sewing your fabric on the support. Before doing the embroidery **put your water-soluble** support, here I had made the patches of white fabric before doing the embroidery but I changed the file because it is necessary to do the embroidery of the eyes before making the patches
- Stop from 3 to 5: follow the colors for embroidery.
- Stop 6: sewing to tell you where to put your white patch in the top of the face, put your piece of fabric to hide the seam well
- Stop 7: Seam of the white patch
- Stop 8: sewing to tell you where to put your white patch in the lower face, put your piece of fabric to hide the seam well

- Stop 9: Seam of the white patch
- Stop 10: Bumblebee points on the pasta
- Stop 11: Sewing to tell you where to put your right ear
- Stop 12: sewing the ear on the head, be careful to put the right ear on the right side of the head, put place against place and put a pat to hold well in place. (See photo)
- Stops 13 and 14: same as stops 11 and 12 but on the opposite side.
- Stop 12: take your second piece of minky for the head and put place against place to make the seam that will close your head. Get out of the frame, cut the excess fabric and turn over





THE ARMS

- Stop 1: this seam is done on your support to tell you where to put your fabric, you must cover the seam with the fabric, put your fabric on your support
- Stop 2: Sewing on your fabric to join it to your support
- Stop 3: Sewing to tell you where to put your fabric for the next step, put your fabric place against place on the main fabric, you have to put the fabric on the edge of the seam (see photo)
- Stop 4: Sew your fabric paler for the tips of the arms, once this seam is finished, take your fabric and put it

down to have the place of the fabric towards you. Take your ^{2nd} piece of fabric for the arms, put place against place on your main fabric and do the next step

• Stop 5: Seam to join the front and back of the arms.













HERE'S WHAT YOU SHOULD HAVE:

THE ASSEMBLY All you have to do is do the assembly.

For the head, put your stuff, once well filled make an invisible seam to close: (91) Make an invisible seam by hand - YouTube



Before closing the arms, find the center and put a press button to attach with the small blanket





Subsequently put the stuff and close with an invisible seam

For the muzzle, make a small notch on the back of the muzzle, turn in the place, put the stuff and sew your small notch. The muzzle lands once your head is sewn onto the arms







Position your head on your arms, I put a little fabric glue to hold my head in place before sewing. Once your glue is dry and your head is in place, sew it with an invisible seam.

When your head is well sewn on the arms, take your muzzle and put a little fabric glue to position it on your face, once dry, make your seam invisible.

Take your blanket and decide where you are going to put your dog, put your push button and join the dog on your small blanket.



PS: I always do at least 3 times the invisible seam so that it is really well sewn.