

MY WORKSHOP 10x10cm

This fact in 4 steps

The crown on the back is made with the sewing machine and not the embroiderer. The pattern is included as well as the indications.

Materials:

I did mostly with felt. You can make in the fabric of your choice.

SECTION 1: THE HEAD

- 1 piece of 11x11cm high fleece
- 1 piece of 4.5x4.5cm high for the face
- 1 piece of 10x7cm high for hair
- 1 piece of white felt for the back of 11x11cm high

SECTION 2: Office my workshop

1 piece of 11x11cm high the fleece

- 1 piece of 11x11cm for the office (gray felt)
- 1 piece of white felt for the back of 11x11cm high

SECTION 3: Top of the chair and bottom with legs

- 1 piece of 11x11cm high fleece
- 1 piece of 8x5cm high for the bottom of the chair (part with the legs)
- 1 piece of 8x5cm high for the top of the chair
- 1 piece of 11x11cm of white felt for the back

For the rest of the pieces, you need a few small pieces of felt or other

SECTION 4:

- 1 piece of 11x11cm high
- 2 pieces of 11x11cm of white felt, 1 for the front and 1 for the back


For the rest of the pieces, you need a few small pieces of felt or other

Tear away support, hot glue rifle, cardboard for the crown,

CROWN

1 piece of 14x14cm of white felt, 1 piece of 14x14cm self-adhesive stuffing, 1 piece of 14x14cm of rigid cardboard

Section 1





Seam 3: This seam tells you the location of your felt for the face



Put your felt to hide all the seam #3



Seam 4: this seam will hold your felt on your support



Cut off excess felt in the upper face



Sewing from 5 to 11: embroidery stitches



Once the embroidery stitches are finished, put your hair felt on the top part, hiding all the rest of the seams well



Seam 12: this seam will keep your hair felt on your support



Cut the excess tissue in the lower part of the hair (part of the face)



Seam 13: embroidery stitches



Seam 14: this seam tells you the location for your curls



Put your felt to hide all the seam of the buckles



Sewing 15: this seam will keep your curls on your hair



Cut off excess fabric



Sewing 16-17: Embroidery stitches



Put your piece of felt for the back on the back of your frame, hold well in place and hide all the seams




Seam 18: this seam will join your front of the work with your back felt



Here's what it looks like once finished on the back of your frame

Getting out of the box

SECTION 2



Seam 1: this fact on your support to tell you the location of your stuff



Put your stuff, taking care to hide all the sewing



Seam 2: this seam will sew your stuff on your support



Cut off excess stuffing



Put your felt on your stuff



Seam 3: this seam will sew your felt on your support



Seam 4 and 5: embroidery stitches




Put your piece of white felt on the back of your frame



Seam 6: this seam will sew the back and front together.
Get out of the frame and cut the excess

SECTION 3



Seam 1: this seam is done on your support to tell you the location of your stuff



Put your stuff on the seam taking care to hide the seams completely



Seam 2: this seam will sew your stuff on your support



Remove excess stuffing all the way around



Seam 3 this seam shows you the parts in gray



Put your felt on the top part



Seam 4: this seam will sew the gray parts on your support

Do not remove excess fabric as there will be pieces of fabric to put on top



Seam 5: Embroidery stitch



Seam 6: this seam shows you the part of the legs



Put on your skin-colored felt



Seam 7: this seam will sew your skin-colored felt on your gray felt



Cut off excess fabric all around



Seam 8: embroidery stitches



Seam 9: this seam tells you the location of the pants



Put your fabric on this seam



Seam 10: this seam will hold in place your fabric for the pants



Cut off excess fabric



Seam 11: embroidery stitches



Seam 12: this seam tells you the location of your stockings



Put the felt



Seam 13: this seam will hold in place your fabric for your stockings.

Cut the excess all the way



Seam 14: embroidery stitches on your stockings



Seam 15: sewing to tell you the location of your shoes



Put your felt



Seam 16: This seam will hold your felt in place



Cut the excess



Sewing 17-18-19: embroidery stitches



Put your felt on the bottom part for the top of the chair



Seam 20: this seam will hold your felt in place




Seam 21: embroidery stitches



Seam 22: embroidery stitches



Put your piece of white felt on the back of your frame



Seam 23: this seam will join your back felt on your front pieces



Here's what it looks like to the back


SECTION 4



Seam 1: this seam is done on your support



Put your stuff , taking care to hide all the sewing





Put on your felt and make Seam 3: this seam is done on your white felt to keep it in place



Seam 4: This seam tells you the location for your office table



Put your felt



Seam 5: seam to hold your felt in place



Seam 6: embroidery stitches

Seam 7: seam to tell you the location of your body



Put your felt



Seam 8: this seam will hold your felt in place.

Remove excess all the way



Seam 9: this seam tells you the location of your sweater and needle holder




Put on your felt and make the seam 10



Remove excess fabric and sew 11-12-13: embroidery stitches

Continue your project by always following the same process. The first one tells you the location, the ^{2nd} sews your felt in place, remove the excess and make the embroidery stitches. Do this to the end

THE CROWN



Print your pattern



here you have your pattern, your white felt for the back, selfadhesive iron stuff, your fabric



Put you double-sided on your boss.


Stick your sticky stuff on your felt



stick to your fabric and trace your pattern




take your felt with the selfadhesive stuff and your fabric, hold well together



on your sewing machine



Make a first seam by following the tracing lines



Once your first seam is finished, put your sewing machine at the zigzag stitch at .2mm



Go back to your sewing lines



Make a triple stitch on the edge of your zigzag, do not forget on the large circle, make the triple seam on the outside and on the small circle do on the inside



here's what you should have



draw your pattern on a rigid cardboard

Cut





Glue your fabric round to your cardboard with glue.