

ZEBRA COVER

This fact in 3 steps

1-Ears and mane, 2 pieces of 4x6cm high in black, 2 pieces of 11x7cm high in white

2-The head: 2 pieces of 11x11cm in white

3- The arms: 1 piece of 22x8cm of white color and 1 piece of 22x6cm high

MATERIAL: tearable support, water-soluble support, temporary glue, stuff, tapestry thread, needle

EARS AND MANE



The first seam is done on your tearable support

Once this seam is finished, take your first piece of fabric and put the reverse on your support



Make the^{2nd} seam, this seam will hold your fabric on your support

Then put your^{2nd} piece of fabric, place against place



Make the last seam to unite your 2 pieces



This seam is done on your support to tell you the location of your fabric



Put your first piece of fabric on the seam and water-soluble support, taking care to hide the seam well



Make the seam that will hold your fabric on the support.

Make the embroidery stitches

Once these 2 steps are completed, put your^{2nd} piece of fabric, place against place



Make the last seam that will sew your 2 pieces of fabric together.

Get out of the frame, remove excess fabric, turn to the place and set aside.

THE HEAD



The first seam is done on your support to tell you the location of your fabric



Put on your first piece of fabric and water-soluble support. Take it welln to hide the co uture



This seam will keep your fabric and water-soluble support on your base support



Make the embroidery stitches



This seam tells you the location for your batting



Put your batting to cover the entire seam



Make the sewing that will sew your batting on your project



Remove excess batting



Put your little piece of fabric for the muzzle



Sew and remove excess fabric



Put a small piece of water-soluble support and make the embroidery stitches



this seam tells you the location of your first ear



Put your first ear on this seam taking care to hold in place



Sewing your ear on your head



Seam in the top of the head to tell you the location of the mane



hold well in place and make the sewing



Make the other ear the same way



Put your^{2nd} piece of fabric, place against place.

A little advice: reduce the speed of your embroiderer to follow the seam and place the fabric as you go



Last seam that will sew your pieces together.

Once this seam is finished, remove from your frame, cut the excess and return to the place

THE ARMS



cut your 2 pieces of fabric



Make a seam to join your 2 pieces together



Make the first seam on your tearable support



Put your fabric, the junction of the 2 tissues must follow the line



Put on your water-soluble support



This seam will keep your fabric and water-soluble support on your support



Make the embroidery stitches



Fold your fabric, taking care to follow the junction line of the 2 colors of fabrics




Make the last seam that will sew your 2 pieces together.


Get out of the frame, remove the excess fabric and put in the place

THE ASSEMBLY

All you have to do is do the assembly.



should have this before doing the assembly




stuff in the paws and head

Before closing the arms, put your buttons s pressure to be able $_{\rm to}$ attach it with the small cover, I made a template for the pressure buttons, take a piece of plastic, make a hole at 0cm and the other at 3cm from the first hole, this template will serve you to put your pressure buttons on the back of the arms and on the cover









Subsequently put the stuff and close with an invisible seam

Position your head on your arms, I put a little fabric glue to hold my head in place before sewing. Once your glue is dry and your head in place, sew it with an invisible seam and your tapestry thread.

Take your blanket and decide where you are going to put your dog,put your buttons pressed and join the animal on your small blanket.



PS: I always do at least 3 times the invisible seam so that it is really well sewn.